

● ● ● **EXTERNAL HARD DISC DRIVES**  
● **PRODUCT OVERVIEW**

[www.teac.de](http://www.teac.de)



- ● ● **HD-35 x2PUK**
- **HD-35 CRU-2x**
- **HD-35 PUK-B**
- **HD-15 PUK-B**
- **HD-15 C-OTC**
- **HD-35 CRM**
- **HD-35 Movie**
- **Digi Drive Movie**
- **HD-15 DIGI**
- **HD-35 NAS+**

**TEAC**<sup>®</sup>  
media systems

● ● ● **EXTERNAL HARD DISC DRIVE**  
 ● **STATE-OF-THE-ART TECHNOLOGY**



**TEACs new family of external Hard Disc Drives and HDD Movie Players offer integral backup and multimedia functions. The digital world is at your fingertip.**

- Sufficient storage space for presentations and personal data
- Your photos, your videos and your music
- Secure anytime, anywhere access
- Need storage now? Plug it in, connect the USB cable and add instant capacity to your home computer
- Back up all the PC and Macs on your network automatically to a single, secure location
- Your work to go. Take business files with you using the portability of our smart external hdds
- Multimedia solutions: our huge capacity HDDs are the ideal choice for the home video maker

● ● ● **Dual Hard Disc Drive**  
 ● **HD-35 x2PUK**

**FEATURES**

**DEUTSCH**

- Kapazitäten von 1 TB, 1,5 TB und 2 TB
- USB 2.0-Schnittstelle
- Speicherwunder für Musik, Filme, Fotos und Spiele

**ENGLISH**

- Capacities of 1 TB, 1.5 TB and 2 TB
- USB 2.0 port
- Storage wonder for music, movies, photos, and games.

**SPECIFICATIONS**

- Interface: USB 2.0
- 2 x SATA HDD / JBOD
- Access Time: 9.5 msec
- Spindle speed: 7200 rpm
- MTBF: 100,000 POH
- Dimensions (W x H x D): 70.2 x 171 x 174.2 mm
- Weight: 1,9 kg
- Power requirement: DC 12 V / 2.2 A & 5 V / 2.2 A
- Safety standards: CE / FCC

**System requirements**

An available USB port (USB version 2.0) Windows: IBM PC-compatible Pentium III 600 MHz computer, Windows 2000 / XP, MS Vista (full installation, no upgrades. Windows 95 and NT 4.0 are not supported), 64 MB of RAM, CD-ROM drive or Internet access (to download driver software)

**Package contents**

External USB hard drive, USB 2.0 interface cable, 220 V AC power adapter and cable, support stand, manual.



● ● ● **External 3.5" HDD WITH 2xSATA HDD / JBOD**

- ● ● Multi Function Storage System
- **HD-35CRU-2x**



- ● ● **3,5" Multi Function Storage System with USB Hub**



#### FEATURES

##### DEUTSCH

- Portable und kompakte HDD
- Multicard Reader
- Plug & Play
- Durch USB Interface spielend leichter Anschluss an den PC
- Anschlussmöglichkeit bei laufendem PC
- Speicherkapazitäten: 250, 320, 400, 500, 750 GB

##### ENGLISH

- Portable compact hard disk drive
- Multicard reader
- Plug & Play
- Easily connected to computer by USB interface
- Can be disconnected and re-connected while the computer is running.
- Capacities: 250, 320, 400, 500, 750 GB

#### SPECIFICATIONS

- Interface: USB 2.0, USB 1.1 compatible
- Power supply: 5-12V, 2A
- USB hub can support any kind of flash disk, MP3, external hard disk (need adapter)
- Supported memory cards: CF/II, MD, SM, MMC, SD, etc.
- LED power / data-access indicator
- Dimension (W x H x D): 110.9 x 39.2 x 203.5 mm
- Weight: 471.6 g

##### System requirements

- Hardware: Notebook and desktop computer with USB port
- Operating system: Windows with USB support, Mac OS 8.6 or later version

##### Package contents:

- External hard disk drive, power adapter, USB cable, stand, manual

- ● ● High Capacity HDD
- **HD-35 PUK-B**



ISSUE 14/07

#### FEATURES

##### DEUTSCH

- Externe Festplatte mit Kapazitäten von 250, 320, 400, 500, 750 GB oder 1 TB
- Tolle Speicherlösung für Fotos, Daten, Videos, Musik und Spiele
- High-Speed USB 2.0 Schnittstelle
- Kompatibel zu Windows und Macintosh

##### ENGLISH

- High external memory with capacities of 250, 320, 400, 500, 750 GB or 1 TB
- Great storage solution for digital images, data, videos, music and games
- High-Speed USB 2.0 interface
- Windows and Macintosh compatible



- ● ● External SlimLine HDD
- **HD-15 PUK-B**



#### FEATURES

##### DEUTSCH

- Attraktiver SlimLine Look
- Schönes Aluminium-Gehäuse
- Kapazitäten: 80, 120 oder 160 GB
- USB 2.0 Schnittstelle
- Kompatibel zu Windows und Macintosh

##### ENGLISH

- Stylish slimline look
- Smart aluminum housing
- Disk capacities: 80, 120 or 160 GB
- USB 2.0 interface
- Windows and Mac compatible

#### SPECIFICATIONS

##### HD-15 PUK-B

- **Data Transfer Rate**  
up to 480 Mbit/s
- **Rotation Speed**  
4.200 or 5.400 rpm (model dependent)
- **Interface**  
USB 2.0
- **Access time**  
15 ms
- **Power**  
Bus powered
- **MTBF**  
100.000 POH
- **Dimensions (W x H x D)**  
70 x 15 x 135 mm
- **Weight**  
185 g
- **Kit includes**  
External HDD, USB 2.0 twin cable, installation guide

##### HD-35 PUK-B

- **Data Transfer Rate**  
up to 480 MBit/s
- **Rotation Speed**  
7.200 rpm
- **Interface**  
USB 2.0
- **Access time**  
9.5 ms
- **Cache**  
< 2 MB
- **Power**  
110 - 240 V AC
- **MTBF**  
100.000 POH
- **Dimensions (W x H x D)**  
133.7 x 39 x 194 mm
- **Weight**  
1.9 kg
- **Kit includes**  
External HDD, USB 2.0 interface cable, installation guide, stand for vertical operation (recommended), power adapter

- ● ● Convenient Data Storage
- and Synchronization
- **HD-15C-OTC**



#### SPECIFICATIONS

- Data Transfer Rate: up to 300 Mbytes/s eSATA / up 480 Mbit/s USB 2.0
- Rotation Speed: 5.400 rpm
- Interface: USB 2.0 & SATA II
- Access time: 15 ms
- MTBF: 100.000 POH
- Dimensions (W x H x D): 70 x 11 x 125 mm
- Weight: 280 g
- Kit includes: External HDD, driver CD, installation guide, USB twin cable, SATA II data cable available optional

#### FEATURES

##### DEUTSCH

- USB 2.0 und eSATA Schnittstelle
- Ideal für High-End Multimedia Anwendungen
- Schneller Datentransfer
- Hot-plug fähig
- Stromversorgung über PC
- Kapazitäten: 160, 200 oder 300 GB

##### ENGLISH

- USB 2.0 and eSATA Interface Windows
- Ideal for high-end multimedia applications
- High-speed data transfer
- Hot-plug capable
- Power supply via PC
- Capacities of 160, 200 or 300 GB





● ● ● **HDD Movie Player**  
● **HD-35 CRM**



**SIDE**



**BACK**



**FEATURES**

**DEUTSCH**

- 3,5" USB HDD
- Card Reader Movie
- HDD Movie Player
- Ideale Lösung für Filme, Musik und Fotos
- Speicherkapazitäten: 250, 320, 500, 750 GB, 1 TB
- Unterstützte Speicherkarten: CF, MS, SD, MMC, XD
- Schickes Aluminiumgehäuse

**ENGLISH**

- 3,5" USB hard disk
- Card reader movie
- HDD movie player
- Ideal solution for movies, music and pictures.
- Capacities: 250, 320, 500, 750, 1 TB
- Supported memory cards: CF, MS, SD, MMC, XD
- Smart aluminum housing

**SPECIFICATIONS**

- Interface: USB 2.0
- Output interface: AV, progressive scan component video VGA, power: CF, MS, SD, MMC, XD
- Supported media files: SRT, SSA, SMI (subtitle), MP3, WMA, AAC, DTS, MP3 (audio), MPEG1/2/, MPEG4, XVID, DIVX, VCD, DVD (\*.MPG;\*.MPEG\*.DAT;\*.AVI;\*.VOB;\*.MP4)
- Audio output: analogue stereo
- Video out: composite video output(CVBS),TV system NTSC/PAL, VGA output, progressive scan component
- Supported memory cards: CF, MS, SD, MMC,XD
- Output mode: composite video + L&R audio channels, VGA, progressive scan component video
- Image resolution: 720x480 (NTSC, YPbPr) / 720x576 (PAL, YPbPr) / 640x480 (VGA)
- Power supply: AC100~240V 50/60Hz
- Power dissipation: 30 W (max)
- Dimensions (W x H x D): 205 x 112 x 40 mm
- Weight: 1 kg
- Safety standards: CE

**System Requirements**

- An available USB port (USB version 2.0)
- Windows: IBM PC-compatible Pentium III 600 MHz computer, Windows 98SE / Me / 2000 / XP (full installation, no upgrades. Windows 95 and NT 4.0 are not supported), 64 MB of RAM, CD-ROM drive (to install driver software for Windows 98SE only) or Internet access (to download driver software)
- Macintosh: Apple Macintosh G3 (or higher processor) computer, Mac OS X v10.0 or later (earlier versions not supported), 32 MB RAM

**Package Contents:**

- Media player, power adapter, remote controller (2 batteries), AV cable, progressive scan component video cable, AV cable, USB cable, user manual

● ● ● **HDD Movie Player**  
● **HD-35 Movie**

**FEATURES**

**DEUTSCH**

- 3,5" USB HDD
- VFD-Display
- Media Player
- Ideale Lösung für Heimkino
- USB 2.0 Interface
- Speicherkapazitäten: 250, 320, 400, 500, 750, 1 TB
- Aluminiumgehäuse

**SPECIFICATIONS**

**ENGLISH**

- 3.5" USB hard disk
- VFD-display
- Media player
- Ideal solution for home theater
- USB 2.0 Interface
- Capacities: 250, 320, 400, 500, 750, 1 TB
- Aluminum housing

**SPECIFICATIONS**

- Interface: USB 2.0
- Output interface: Digital coaxial ,optical ,AV, S-video, progressive scan component video, VGA, power
- Supported media file: sound: MP3, AC3, WMA, WVA, OGG, AAC video: MPEG1.2., MPEG4, Divx, Xvid, VCD file, DVD file (\*.MPG;\*.MPEG\*.DAT;\*.AVI;\*.VOB;\*) / image: JPEG(\*.JPG)
- Audio output: analogue stereo
- Digital output: coaxial, optical
- Output mode: Composite video + L&R audio channels, VGA, S-video,progressive scan component video and digital out coaxial, optical.
- Video output: high definition up to 1080i (components) composite video output (CVBS),TV system, NTSC/PAL; VGA output; progressive scan component video output; S-video
- Controls: Infrared remote control, panel button control

- Image resolution: high definition up to 1080i (components), 720x480 (NTSC, YPbPr) / 720x576, (PAL, YPbPr) / 640x480 (VGA)
- Power supply: AC100~240 V 50/60Hz
- Power dissipation: 34 W (Max)
- Dimensions (W x H x D): 215 x 150 x 40 mm
- Weight: 900 g
- Safety standards: CE

**System requirements**

- Windows 98 (SE) / ME / 2000 / XP / Vista, Mac OS X 10.3 and up, Linux USB 1.1 connection (hi-speed USB 2.0 connection recommended)

**Package contents:**

- Media player, power adapter, remote controller (2 batteries), AV cable, progressive scan component video cable, USB cable, user manual CD



**SIDE**



**FRONT**

- ● ● **Multi Function Photo Bank**
- **with MP3, MP4, and Picture Playback**
- **Digi Drive Movie**



#### FEATURES

##### DEUTSCH

- USB 2.0
- 2,5" TFT Display
- Eingebaute Stereo Lautsprecher
- Eingebautes Mikrophon
- Kompatibel mit 12 verschiedenen Speicherkarten
- Kopieren per Knopfdruck

##### ENGLISH

- USB 2.0
- 2,5" TFT display
- Built-in stereo speaker
- Built-in microphone
- Compatible to 12 kinds of cards
- With copy function

#### SPECIFICATIONS

- Interface: USB 2.0
- Display: 2.5" TFT of 260K colors
- Digital video player: supports MP4 playback
- Digital audio player: supports MP4 playback (in earphone or in the built-in stereo speaker)
- Digital photo viewer: supports JPEG photo browsing on the TFT screen, zoom in/zoom out
- Memory card slot: CF/II / MS / SD / MMC / micro drive / MS PRO / MS DUO / MINI SD
- Supports output to TV
- Supports other popular movie formats under the convert of software
- Supports E-book playback

- Auto slideshow function
- Voice recording
- Built-in microphone
- Five EQ modes (normal, rock, jazz, pop, bass)
- Supports one key copy/bi-directional copy from cards to the device
- Built-in 2200 mAh rechargeable li-ion battery
- Dimensions (W x H x D): 128 x 84 x 26 mm
- Weight: 175 g
- Complied standard: CE
- Includes: Digi drive movie, earphone, rechargeable li-ion battery, USB cable, power adapter, manual

- ● ● **External HDD with Multislot Card Reader**
- **HD-15 DIGI**

#### FEATURES

##### DEUTSCH

- 9-in-1 Kartenlese-Gerät
- Kapazitäten: 40, 60, 80, 100, 120 oder 160 GB
- Portable Lösung, ideal für unterwegs
- Akku-Betrieb ohne Stromanschluss
- Unterstützt alle gängigen Speicherkarten
- Keine PC Verbindung erforderlich
- Automatischer Datentransfer von der Speicherkarte zur HDD per Knopfdruck
- Großes LCM Display mit Statusanzeige
- High-Speed USB 2.0 Interface

##### ENGLISH

- 9-in-1 card reader
- Capacities of 40, 60, 80, 100, 120 or 160 GB
- Portable solution, ideal to store photos "On the Go"
- Mains-independent operation
- Supports all standard memory cards
- No PC connection required
- Automatic data transfer from memory card to HDD at the push of a button
- Large LCD display with status indication
- High-Speed USB Interface

#### SPECIFICATIONS

##### Supports

- CF I & II, MD, SM, MS, MS-PRO, SD, Mini-SD, MMC
- Transfer rate to HDD max. 2.5 MB/s
- Interface USB 2.0
- Rotation speed 4.200 - 5.400 rpm (model dependent)
- Lithium rechargeable battery
- Power Save mode after 1 minute
- LCM display with status display
- Aluminum housing
- Dimensions (W x H x D) 78 x 125 x 26 mm
- Supported operating systems Windows 98SE, 2000, XP, Mac OS 10.0
- Kit includes External HDD, software driver CD-ROM, user guide, power adapter 110 - 240 V, USB cable, pouch



- ● ● High Performance
- Network HDD
- **HD-35 NAS+**



#### SYSTEM REQUIREMENTS

##### FOR LAN INTERFACE (RJ45)

- One or more computers with network card (NIC)
- Internet browser, e.g. Internet Explorer, Netscape, Firefox for Web-based configuration management.
- Optional: ADSL or Cable Modem with at least one public IP
- Optional: Internet Gateway with Dynamic DNS support (DDNS)
- Optional: Ethernet Hub/Switch to connect more than one computer

##### FOR USB 2.0 INTERFACE

- Computer with a free USB 1.1/2.0 port.
- Windows 98SE / Me / 2000 / XP or later
- MacOS 9, X or later

#### SPECIFICATIONS

- Rotation speed  
7.200 rpm
- Interface  
High Speed USB 2.0
- Cache  
< 8 MB (depending on model)
- DRAM  
8 MB
- Flash  
1 MB
- Power  
AC 230 V
- Dimensions (W x H x D)  
136 x 60 x 208.5 mm
- Weight:  
2.3 kg
- Kit includes  
External HDD, software driver CD-ROM, Ethernet cable, USB cable, manual, power adapter

#### FEATURES

##### DEUTSCH

- Datenarchivierung, -organisation und -nutzung im Netzwerk
- Datenzugriff von allen Netzwerk PCs
- Kapazitäten: 250, 320, 400, 500, 750 GB oder 1 TB
- USB 2.0 und Ethernet-Schnittstelle
- Einfache Installation, automatische Konfiguration via DHCP
- Komfortables, Web-basiertes Management

##### ENGLISH

- Archive, organise and use data in a network
- Shared data access from all network PCs
- Capacities of 250, 320, 400, 500, 750 GB or 1 TB
- USB 2.0 and Ethernet interface
- Easy installation, automatic configuration via DHCP
- Convenient web-based management

#### CONFIGURATION

- Aluminum case / aerodynamic cooler fan
- 100Base-T/10Base-T Ethernet-Connection
- Automatic IP configuration (DHCP Client or Server)
- SMB through TCP/IP
- FTP Client Access
- Driver CD
- Share Level Access Security
- Web-based Management





**For more information please visit [www.teac.de](http://www.teac.de)**

TEAC Europe GmbH • Bahnstraße 12 • D-65205 Wiesbaden • Tel.: +49 / 6 11 / 71 58-0 • Fax: +49 / 6 11 / 71 58-392

**TEAC**<sup>®</sup>  
media systems